ELSEVIER

International Journal of Pharmaceutics 115 (1995) 265–267

international journal of pharmaceutics

Author Index

Al-Angary, A.A., Bayomi, M.A., Khidr, S.H., Al-Meshal, M.A. and Al-Dardiri, M.
Characterization, stability and in vivo targeting of liposomal formulations containing cyclosporin (114) 221
Al-Dardiri, M., see Al-Angary, A.A. (114) 221
Al-Meshal, M.A., see Al-Angary, A.A. (114) 221
Alvarez-Fuentes, J., see Holgado, M.A. (114) 13
Arias, M.J., see Moyano, J.R. (114) 95
Arwidsson, H.G., see Stubberud, L. (114) 55

Banning, D., see Craig, D.Q.M. (114) 103
Barker, S.A., see Craig, D.Q.M. (114) 103
Bayomi, M.A., see Al-Angary, A.A. (114) 221
Béchard, S.R., Levy, L. and Clas, S.-D.
Thermal, mechanical and functional properties of cellulose acetate phthalate (CAP) coatings obtained from neutralized aqueous solutions (114) 205
Booth, S.W., see Craig, D.Q.M. (114) 103
Braxton, B.K., see Schoen, M.P. (114) 159
Brøndsted, H., Nielsen, H.M. and Hovgaard, L.
Drug delivery studies in Caco-2 monolayers. III. Intestinal transport of various vasopressin analogues in the presence of lysophosphatidylcholine (114) 151
Brøndsted, H., see Hovgaard, L. (114) 141

Cannon, J.B., Williams, N.A. and Papp, K.J.
Reduction of pain on intravenous infusion with bile salt formulations for a macrolide antibiotic (114) 65
Caraballo, I., see Holgado, M.A. (114) 13
Carlson, G.T., see Sinko, C.M. (114) 85
Çelik, M., see Mollan, M.J. (114) 23
Clarke, G.M., Newton, J.M. and Short, M.B.
Comparative gastrointestinal transit of pellet systems of varying density (114) 1
Clas, S.-D., see Béchard, S.R. (114) 205
Craig, D.Q.M. and Taylor, K.M.G.
The use of low frequency dielectric analysis in the characterisation of metered dose inhaler formulations (114) 129
Craig, D.Q.M., Barker, S.A., Banning, D. and Booth, S.W.
An investigation into the mechanisms of self-emulsification using particle size analysis and low frequency dielectric spectroscopy (114) 103

Das, N.G., see Duddu, S.P. (114) 247
DeLuca, P.P., see Lee, K.C. (114) 215

Duddu, S.P., Das, N.G., Kelly, T.P. and Sokoloski, T.D.
Microcalorimetric investigation of phase transitions: I. Is water desorption from theophylline · HOH a single-step process? (114) 247
Duncan, M.R., see Pujara, C.P. (114) 197

Eyer, P., see Thiermann, H. (114) 125

Fernandez-Arevalo, M., see Holgado, M.A. (114) 13
Frijlink, E., see Moolenaar, F. (114) 117
Frontini, R. and Mielck, J.B.
Formation of formaldehyde in polyethyleneglycol and in poloxamer under stress conditions (114) 121

Gatlin, L.A., see Schoen, M.P. (114) 159
Ghosh, S. and Grant, D.J.W.
Determination of the solubilities of crystalline solids in solvent media that induce phase changes: Solubilities of 1,2-dialkyl-3-hydroxy-4-pyridones and their formic acid solvates in formic acid and water (114) 185
Gierer, D.S., see Sinko, C.M. (114) 85
Ginés, J.M., see Moyano, J.R. (114) 95
Go, L.T., see Zanen, P. (114) 111
Goldberg-Cettina, M., Liu, P., Nightingale, J. and Kurihara-Bergstrom, T.
Enhanced transdermal delivery of estradiol in vitro using binary vehicles of isopropyl myristate and short-chain alkanols (114) 237
Graffner, C., see Stubberud, L. (114) 55
Grant, D.J.W., see Ghosh, S. (114) 185

Hashida, M., see Takino, T. (114) 43
Holgado, M.A., Fernandez-Arevalo, M., Alvarez-Fuentes, J., Caraballo, I., Llera, J.M. and Rabasco, A.M.
Physical characterization of carteolol: Eudragit® L binding interaction (114) 13
Hovgaard, L., Brøndsted, H. and Nielsen, H.M.
Drug delivery studies in Caco-2 monolayers. II. Absorption enhancer effects of lysophosphatidylcholines (114) 141
Hovgaard, L., see Brøndsted, H. (114) 151

Hussain, A.S., see Sathyan, G. (114) 75

Jauw, T.H., see Moolenaar, F. (114) 117
Jefferis III, R.P., see Schoen, M.P. (114) 159
Johnston, T.P., see Wang, P.-L. (114) 177
Jones, D.S. and Medlicott, N.J.
Casting solvent controlled release of chlorhexidine from ethylcellulose films prepared by solvent evaporation (114) 257

Kelly, T.P., see Duddu, S.P. (114) 247
Khidr, S.H., see Al-Angary, A.A. (114) 221
Kim, C.-K., see Lee, K.C. (114) 215
Kurihara-Bergstrom, T., see Goldberg-Cettina, M. (114) 237

Lammers, J.-W.J., see Zanen, P. (114) 111
Lee, K.C., Yoon, J.Y., Woo, B.H., Kim, C.-K. and DeLuca, P.P.
Post-column fluorescence HPLC for salmon calcitonin formulations (114) 215
Levy, L., see Béchard, S.R. (114) 205
Liu, P., see Goldberg-Cettina, M. (114) 237
Llera, J.M., see Holgado, M.A. (114) 13

Maitani, Y., see Qi, X.-r. (114) 33
Medlicott, N.J., see Jones, D.S. (114) 257
Mesiha, M. and Sidhom, M.
Increased oral absorption enhancement of insulin by medium viscosity hydroxypropyl cellulose (114) 137
Meyler, P., see Moolenaar, F. (114) 117
Mielck, J.B., see Frontini, R. (114) 121
Mitra, A.K., see Pujara, C.P. (114) 197
Mollan, M.J. and Çelik, M.
The effects of humidity and storage time on the behavior of maltodextrins for direct compression (114) 23
Moolenaar, F., Meyler, P., Frijlink, E., Jauw, T.H., Visser, J. and Proost, H.
Rectal absorption of morphine from controlled release suppositories (114) 117
Moyano, J.R., Ginés, J.M., Arias, M.J. and Rabasco, A.M.
Study of the dissolution characteristics of oxazepam via complexation with β-cyclodextrin (114) 95

Nagahama, E., see Takino, T. (114) 43
Nagai, T., see Qi, X.-r. (114) 33
Naisbett, B. and Woodley, J.
The potential use of tomato lectin for oral drug delivery: 3. Bioadhesion in vivo (114) 227
Newton, J.M., see Clarke, G.M. (114) 1
Nielsen, H.M., see Brøndsted, H. (114) 151
Nielsen, H.M., see Hovgaard, L. (114) 141
Nightingale, J., see Goldberg-Cettina, M. (114) 237

Papp, K.J., see Cannon, J.B. (114) 65
Patel, V.S., see Wagner, D.L. (114) 171
Proost, H., see Moolenaar, F. (114) 117
Pujara, C.P., Shao, Z., Duncan, M.R. and Mitra, A.K.
Effects of formulation variables on nasal epithelial cell integrity: Biochemical evaluations (114) 197

Qi, X.-r., Maitani, Y. and Nagai, T.
Effect of soybean-derived sterols on the in vitro stability and the blood circulation of liposomes in mice (114) 33

Rabasco, A.M., see Holgado, M.A. (114) 13
Rabasco, A.M., see Moyano, J.R. (114) 95
Ritschel, W.A., see Sathyan, G. (114) 75

Sakaeda, T., see Takino, T. (114) 43
Sathyan, G., Ritschel, W.A. and Hussain, A.S.
Transdermal delivery of tacrine: I. Identification of a suitable delivery vehicle (114) 75
Schoen, M.P., Braxton, B.K., Gatlin, L.A. and Jefferis III, R.P.
A simulation model for the primary drying phase of the freeze-drying cycle (114) 159
Shao, Z., see Pujara, C.P. (114) 197
Short, M.B., see Clarke, G.M. (114) 1
Sidhom, M., see Mesiha, M. (114) 137
Sinko, C.M., Carlson, G.T. and Gierer, D.S.
The identification of percolation and mechanical thresholds during the compaction of hydroxypropyl methylcellulose: comparison to thresholds determined from out-of-die indentation experiments (114) 85
Sokoloski, T.D., see Duddu, S.P. (114) 247
Spöhrer, U., see Thiermann, H. (114) 125
Stubberud, L., Arwidsson, H.G. and Graffner, C.
Water-solid interactions: I. A technique for studying moisture sorption/desorption (114) 55

Takakura, Y., see Takino, T. (114) 43
Takino, T., Nagahama, E., Sakaeda, T., Yamashita, F., Takakura, Y. and Hashida, M.
Pharmacokinetic disposition analysis of lipophilic drugs injected with various lipid carriers in the single-pass rat liver perfusion system (114) 43
Taylor, K.M.G., see Craig, D.Q.M. (114) 129
Thiermann, H., Spöhrer, U. and Eyer, P.
Operational evaluation of wet/dry autoinjectors containing atropine in solution and powdered HI 6 (114) 125

Udeani, G.O., see Wang, P.-L. (114) 177

Visser, J., see Moolenaar, F. (114) 117

Wagner, D.L. and Patel, V.S.
Steady-state human pharmacokinetics and bioavailability of guaifenesin and pseudoephedrine in a sustained-release tablet relative to immediate-release liquids (114) 171
Wang, P.-L., Udeani, G.O. and Johnston, T.P.
Inhibition of granulocyte colony stimulating factor (G-CSF) adsorption to polyvinyl chloride using a nonionic surfactant (114) 177
Williams, N.A., see Cannon, J.B. (114) 65

Woo, B.H., see Lee, K.C. (114) 215
Woodley, J., see Naisbett, B. (114) 227

Yamashita, F., see Takino, T. (114) 43
Yoon, J.Y., see Lee, K.C. (114) 215

Zanen, P., Go, L.T. and Lammers, J.-W.J.
The optimal particle size for parasympathicolytic aerosols in mild asthmatics (114) 111